



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	SHAFT	6061	Ø1-5/8 X 5-1/8	2
			-3	1	HOUSING	6061	Ø3 X 2-5/8	3
			-5	1	BULLET	WHITE NYLON	Ø2 X 7/8	4



 RED BARN MACHINE	
TITLE SEAL PRESS TOOL	
DWG NO. RBW6521A00146W142C-3T	REV
MAT'L	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32	
.XX ± .01 ANGLES ± 5°	
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 7/17/2012
SHEET 1 OF 4	

APPROVED 
HEAT TREAT
FINISH
SPEC
USED ON MODEL AW139

		<h1>RED BARN MACHINE</h1>	
TITLE		<h2>SEAL PRESS TOOL</h2>	
DWG NO.		RBW6521A00146W142C-3T-1	
REV			
MAT'L 6061		DRAWN BY: GILBERT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005 .XX ± .01 .X ± .1		HEAT TREAT FINISH	
FRACTIONS ± 1/32 ANGLES ± 5°		CLEAR ANODIZE	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		SPEC MIL-A-8625F, TYPE II, CLASS	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL AW139	
SCALE 1:2		DATE 7/17/2012	
		SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION B-B


(-3)

HOUSING

 RED BARN MACHINE	
TITLE SEAL PRESS TOOL	
DWG NO. RBW6521A00146W142C-3T-3	REV 1
MAT'L 6061	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED  HEAT TREAT CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL AW139
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 7/17/2012
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





SECTION C-C

(-5)

BULLET



 RED BARN MACHINE	
TITLE SEAL PRESS TOOL	
DWG NO. RBW6521A00146W142C-3T-5	REV 1
MAT'L WHITE NYLON	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 .XX \pm .01 .X \pm .1 FRACTIONS \pm 1/32 ANGLES \pm 5°	APPROVED  HEAT TREAT FINISH SPEC USED ON MODEL AW139
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE 1:1 DATE 7/17/2012 SHEET 4 OF 4